

☐ Toggle menu
Blue Gold Program Wiki

Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)

Personal tools

- [Log in](#)

personal-extra

☐ Toggle search

Search

Random page

Views

- [View](#)
- [View source](#)
- [History](#)
- [PDF Export](#)

Actions

Module:Pagetype/config

From Blue Gold Program Wiki

< [Module:Pagetype](#)

The printable version is no longer supported and may have rendering errors. Please update your browser bookmarks and please use the default browser print function instead.

Documentation for this module may be created at [Module:Pagetype/config/doc](#)

```

-----
---
--                               Module:Pagetype configuration data
--
-- This page holds localisation and configuration data for Module:Pagetype.
--
-----
---

local cfg = {} -- Don't edit this line.

-----
---
--                               Start configuration data
--
-----
---

-- This table holds the values to use for "main=true", "user=true", etc. Keys
to
-- this table should be namespace parameters that can be used with
-- [[Module:Namespace detect]].
cfg.pagetypes = {
    ['main']           = 'article',
    ['user']           = 'user page',
    ['project']        = 'project page',
    ['wikipedia']      = 'project page',
    ['wp']             = 'project page',
    ['file']           = 'file',
    ['image']          = 'file',
    ['mediawiki']      = 'interface page',
    ['template']       = 'template',
    ['help']           = 'help page',
    ['category']       = 'category',
    ['portal']         = 'portal',
    ['book']           = 'book',
    ['draft']          = 'draft',
    ['education program'] = 'education program page',
    ['timedtext']      = 'Timed Text page',
    ['module']         = 'module',
    ['topic']          = 'topic',
    ['gadget']         = 'gadget',
    ['gadget definition'] = 'gadget definition',
    ['talk']           = 'talk page',
    ['special']        = 'special page',
    ['media']          = 'file',
}

-- This table holds the names of the namespaces to be looked up from
-- cfg.pagetypes by default.
cfg.defaultNamespaces = {

```

```
        'main',
        'file',
        'template',
        'category',
        'module',
        'book'
    }
```

```
-- This table holds the names of the namespaces to be looked up from
-- cfg.pagetypes if cfg.defaultnsExtended is set.
```

```
cfg.extendedNamespaces = {
    'main',
    'user',
    'project',
    'file',
    'mediawiki',
    'template',
    'category',
    'help',
    'portal',
    'module',
    'book',
    'draft'
}
```

```
-- The parameter name to set which default namespace values to be looked up
from
```

```
-- cfg.pagetypes.
cfg.defaultns = 'defaultns'
```

```
-- The value of cfg.defaultns to set all namespaces, including talk.
```

```
cfg.defaultnsAll = 'all'
```

```
-- The value of cfg.defaultns to set the namespaces listed in
```

```
-- cfg.extendedNamespaces
cfg.defaultnsExtended = 'extended'
```

```
-- The value of cfg.defaultns to set no default namespaces.
```

```
cfg.defaultnsNone = 'none'
```

```
-- The parameter name to use for disambiguation pages page.
```

```
cfg.dab = 'dab'
```

```
-- This table holds the different possible aliases for disambiguation-class
-- pages. These should be lower-case.
```

```
cfg.dabAliases = {
    'disambiguation',
    'disambig',
    'disamb',
    'dab'
}
```

```

-- The default value for disambiguation pages.
cfg.dabDefault = 'page'

-- The parameter name to use for N/A-class page.
cfg.na = 'na'

-- This table holds the different possible aliases for N/A-class pages. These
-- should be lower-case.
cfg.naAliases = {'na', 'n/a'}

-- The default value for N/A-class pages.
cfg.naDefault = 'page'

-- The parameter name to use for redirects.
cfg.redirect = 'redirect'

-- The default value to use for redirects.
cfg.redirectDefault = 'redirect'

-- The parameter name for undefined namespaces.
cfg.other = 'other'

-- The value used if the module detects an undefined namespace.
cfg.otherDefault = 'page'

-----
---
--                               End configuration data
--
-----
---
```

return cfg -- Don't edit this line

Retrieved from

"<https://www.bluegoldwiki.com/index.php?title=Module:Pagetype/config&oldid=1806>"

Namespaces

- [Module](#)
- [Discussion](#)

Variants

This page was last edited on 19 February 2020, at 09:51.

Blue Gold Program Wiki

The wiki version of the Lessons Learnt Report of the Blue Gold program, documents the experiences of a technical assistance (TA) team working in a development project implemented by the Bangladesh Water Development Board (BWDB) and the Department of Agricultural Extension (DAE)

over an eight+ year period from March 2013 to December 2021. The wiki lessons learnt report (LLR) is intended to complement the BWDB and DAE project completion reports (PCRs), with the aim of recording lessons learnt for use in the design and implementation of future interventions in the coastal zone.

- [Privacy policy](#)
- [About Blue Gold Program Wiki](#)
- [Disclaimers](#)

Developed and maintained by Big Blue Communications for Blue Gold Program



[Blue Gold Program Wiki](#)